



WORKMAN[®]

DELTA PLUS



128, Avenue Kasai, Quartier Makutano, Commune de Lubumbashi
Lubumbashi - R.D. Congo
+243 994 389 030, +243 899 363 067
info@muchegraphique.com | www.muchegraphique.com

COVERALL



TAHA T/C COVERALL
65/35 Polyester/Cotton,
135 gsm Poplin materials



TAHA TWILL COVERALL
100% Cotton Twill
material, 185gsm



TAHA TWILL REF. COV
100% Cotton Twill
material, 185gsm



POWER COVERALL
65/35 Polyester Cotton
250 gsm Twill material



AQ COVERALL
65/35 Polyester/
Cotton, 240gsm



NEO COVERALL
65/35 Polyester/
Cotton, 267gsm



RIPSTOP COVERALL
65/35 Polyester/Cotton,
240gsm Ripstop material



AP TWILL BIBPANTS
100% Cotton 195
gsm twill material



RIPSTOP BIBPANTS
65/35 Polyester/Cotton,
240gsm Ripstop material

BIBPANTS

PANT SHIRT



WORKMAN 100% COTTON 2 PC SUIT
100% Cotton, 195gsm
Twill material



AP 2 PC SUIT
100% Cotton, 195
gsm Twill material



WORKMAN T/C 2 PC SUIT
65/35 Polyester/Cotton,
150gsm Poplin materials



AQ JACKET & TROUSER
65/35 Polyester/
Cotton, 240gsm



POWER 2 PC SUIT
65/35 Polyester Cotton
250 gsm Twill material



TAHA PYROVATEX FR COVERALL
100% Cotton, 270 gsm



TAHA PYROVATEX FR PANT SHIRT
100% Cotton, 270 gsm



TAHA PROTEX FR COVERALL
180gsm 55:Modacrylic
43:Cotton 2:Carbon fibres

FLAME RETARDANT

RAINWEAR



RAINSUIT REF. POLY FLOR.
0.18 mm, 170 Taffeta
Polyester / PVC material



RAINSUIT POLY
0.18 mm, 170
Taffeta Polyester
/ PVC material



RAINSUIT POLY REF.
0.18 mm, 170
Taffeta Polyester
/ PVC material



RAINSUIT PVC
0.28 mm
PVC / Polyester
material



RAINCOAT PVC
0.28 mm
PVC / Polyester
material



RAINCOAT POLY
0.18 mm, 170
Taffeta Polyester /
PVC material



RAINCOAT POLY REF.
0.18 mm, 170
Taffeta Polyester
/ PVC material



TAHA TC LABCOAT
65/35 Polyester
Cotton.150gsm
Poplin material



AP TWILL LABCOAT
100% Cotton.185gsm
Twill material

LABCOATS

SAFETY JACKETS



SJ 2 LINE CLOTH
100 gsm polyester knitted
fabric



SJ 2 LINE CLOTH
60 gsm polyester knitted
fabric



SJ 2 LINE PVC
100 gsm polyester
knitted fabric



SJ 4 LINE CLOTH
120gsm Polyester knitted
fabric



SJ 4 LINE PVC
120gsm Polyester
knitted fabric



SJ 2 COL 4 LINE
120gsm Polyester knitted
fabric



SJ SOLID 4 LINE
120gsm Polyester knitted
fabric



SJ WTB015 YOG
120 gsm polyester
knitted fabric in front and
120 gsm mesh on back



SJ 21 HIGH REF
120gsm Polyester
knitted fabric



SJ 22 3M
120gsm Polyester
knitted fabric



SJ 4 LINE ID POCKET
120gsm Polyester
knitted fabric



VWJK04 BOMBER JACKET
100% Poly 300D Oxford with Polyurethane
Coating. 180 gsm Polyester quilt lining.



VWJK01 PARKA JACKET
100% Poly 300D Oxford with Polyurethane
Coating 180 gsm Polyester quilt lining.

SAFETY SHOES



WORKMAN CLASSIC S1P SHOES

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate.



WORKMAN SUEDE S1P SHOES BROWN

Upper: Suede split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate.




WORKMAN SUEDE S1P SHOES GREY

Upper: Suede split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate.



WK QA 85 SHOES

Upper : Breathable Genuine Leather
Sole : Black / grey PU outsole with broad steel toe and flexible steel plate. Lining: Orange Insole: Padded



WK QA 87 SHOES

Upper : Barton Print Synthetic PU Leather.
Sole : Double density black / grey PU outsole with broad steel toe and flexible steel plate. Lining: Red, Insole: Padded



WK QA 88 SHOES

Upper : Embossed action leather
Sole : Double density PU outsole with steel toe and midsole. Lining : Grey, Insole : Padded



WK QA 89 SHOES

Upper : Embossed action leather
Sole : Double density PU outsole with steel toe and midsole. Lining : Red, Insole : Padded.



WK QA 90 SHOES

Upper : Embossed action leather
Sole : Double density PU outsole with steel toe and midsole. Lining : Red, Insole : Padded



WK ROCK SW03 SHOES

Upper : Barton Print Synthetic PU Leather.
Sole : Black / grey PVC outsole with broad iron toe and flexible iron plate. Lining: Orange, Insole: Padded



HUNTER RUBBER SHOES

SB HRO, High quality breathable pigmented grain leather. Vulcanized nitrile rubber, single density outsole. Stainless steel toe. Insulated sole rubber.



HUNTER PU RUBBER SHOES

SB HRO, High quality breathable pigmented grain leather. Hybrid nitrile rubber and PU injection outsole. Stainless steel toe. Insulated sole rubber.



STRONG ARM SHOES

Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.



DELTAPLUS JET S1P

S1P, Upper: Pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU. Black.



DELTAPLUS JUMPER S1P

S1P, Upper: Pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU. Black.



DELTAPLUS JUMPER S3

S3, Upper: Waterproof pigmented split leather. Lining: Polyamide absorbing. Outsole: Injected, dual density PU. Black.



DELTAPLUS PHOENIX

Upper: Pigmented split leather, S3 water resistant treatment. Lining: Polyamide mesh. Insole: Removable preformed - Polyamide on EVA. Outsole: Injected - PU bi-density.



DELTAPLUS PHOCEA

Upper: Pigmented split leather, S3 water resistant treatment. Lining: Polyamide mesh. Insole: Removable preformed - Polyamide on EVA. Outsole: Injected - PU bi-density.



DELTAPLUS TW300

Upper: Full grain leather, S3 water resistant treatment, mit rubber scuff cap. Insole: Removable preformed - Polyester on PU. Midsole: Cemented - PU with shock absorber. Outsole: Rubber Nitrile.



DELTAPLUS TW400

Upper: Full grain leather, S3 water resistant treatment, mit rubber scuff cap. Insole: Removable preformed - Polyester on PU. Midsole: Cemented - PU with shock absorber. Outsole: Rubber Nitrile.



DELTAPLUS ASTI

Upper: Suede split leather and polyester mesh. Lining: Polyester. Insole: Removable preformed - Polyester on EVA. Outsole: Injected - Dual-density PU. Non metallic footwear.



DELTAPLUS SPORT

Upper: Injected PU on mesh. Lining: Polyester. Insole: Removable preformed - Polyester on EVA. Outsole: Cemented - Phylon. Outsole: Rubber Nitrile.



DELTAPLUS SAGA

Upper: Nubuck leather, S3 water resistant treatment. Lining: Polyester. Insole: Removable - polyester on EVA. Outsole: Cemented - PU/Rubber.

SAFETY BOOTS



WORKMAN S4

PVC with antibacterial inner lining With Steel Toe



WORKMAN S5

PVC with antibacterial inner lining With Steel Toe + Mid Sole Plate



WORKMAN RAINBOOTS

PVC with antibacterial inner lining



DELTAPLUS AMAZONE S5

Upper: PVC. Outsole: Injected PVC/Nitrile.

NITRILE GLOVES



N1501
13G White poly-light green,
nitrile smooth finish.



N1511
13G U3 polyester shell,
nitrile coating smooth
finish.



N2101
13G polyester shell, nitrile
coating smooth finish.



N2304
Cotton jersey glove, nitrile
half coated, safety cuff.



N2501
Spandex shell microfoam
nitrile coated. 15G grey
nylon.



N2511
Spandex shell microfoam
nitrile coated with nitrile
dots. 15G grey nylon.



N2521
15G white nylon,
spandex shell, grey
lunar foam nitrile

LATEX GLOVES



L1101
10G High grade yarn, latex
coating crinkle finish.



L1202
10G T/C liner, best quality
natural latex coated,
Crinkle surface finish.



L1305
7G Acrylic liner, napping
lining, natural latex coated,
crinkle surface finish.



L1803
Interlock pink
latex rough wrist
1/2 coated.



H1101
10 gauge cut level 5 heavy
duty latex coated for puncture
resistance, black latex crinkle.



H2101
13 gauge cut level 5
nitrile coated. Black nitrile
smooth finish.



H3101
13 gauge cut level 5
HPPE Black PU.

CUT RESISTANCE GLOVES

DISPOSABLE

KNITTED GLOVES



D5000
Nitrile 3.5 g
Powder Free



LATEX
Powdered latex
AQL 1.5



NITRILE
Powder free
nitrile AQL 1.5



VINYL
Powdered vinyl
AQL 1.5



SY7102
550gms weight. 10G T/C
Natural color knitted gloves.



AG2550
550gms weight. 10G T/C
White bleached knitted gloves.



GY2550
550gms weight. 10G T/C
Grey knitted gloves.



DAG2550
10G T/C White bleached
knitted gloves, blue pvc dots
coated on single side.



DDAG2550
10G T/C White bleached
knitted gloves, blue pvc
dots coated on both sides.



PD6103
10G T/C Natural color knitted
gloves, black pvc dots coated
on single side.



PDD6103
10G T/C Natural color knitted
gloves, black pvc dots coated
on both sides.



**NAVY BLUE ON BLACK
DOUBLE DOTTED**
7G T/C Black knitted gloves, Navy
Blue pvc dots coated on both sides.



**ROYAL BLUE ON NAVY
BLUE DOUBLE DOTTED**
7G T/C Navy knitted gloves, Royal Blue
pvc dots coated on both sides.



**RB211R ECO
GLOVES**
Cotton economy glove,
latex half coated.

LEATHER GLOVES



ORANGE CUFF
Full Palm, Cow hide split
leather with twill cotton
back, rubberised cuff.



RED CUFF
Full Palm, Cow hide split
leather with twill cotton
back, rubberised cuff.



DOUBLE PALM
High quality cow hide split leather
with reinforced double palm and
twill cotton back, rubberised cuff.



FBN49/FGN39
High quality cow hide
grain, leather driver's
gloves. 10" size.



WELDING GREEN
16 inches A-grade Cow hide
split leather with pipin and
cotton lining.



WELDING RED
16 inches A-grade Cow
hide split leather with
pipin and cotton lining.



TIG WELDING
15 inches High quality cow
hide grain leather palm and
back split leather.

PU & PVC GLOVES

GLOVES MIX



PU 1201
13G White nylon shell,
white pu coating.



PU 3105
13G Black nylon shell,
black pu coating.



PVC CHEMICAL
100% Cotton, Jersey lining
with smooth finish PVC
coating. 30cm, 35cm & 40cm



TAHA NITRILE
Nitrile with cotton flock
lining. Length: 33 cm
Oil Resistant



**DP LATEX
VE330**
Latex with cotton flock
lining, 0.60 mm. 30 cm



**DP NITRILE
VE801**
Nitrile with cotton flock
lining, 0.40 mm. 33 cm.



ELECTRIC 16"
Treated, dipped pure
rubber gloves.
Voltage : 11 kv, 5 kv.



RUBBER 13"
13 inch Reinforced
latex smooth inside and
outside. 70 gms.

ROAD SAFETY



WL09 100 CMS
HDPE cone body and PVC base. 5 kgs



WL10 75 CMS
HDPE cone body and PVC base. 2.5 kgs



WL11 50 CMS
HDPE cone body and PVC base. 2 kgs



WL12 70 CMS
PVC cone, Red cone body & base. 2.3 kgs



WL13 90 CMS
PVC cone, Red cone body & base. 4 kgs



WL14 75 CMS
PU flexible post 75 cms height, 1.4 kgs



WL15 80 CMS
HDPE post and rubber base, 2.6 kgs



WL15 120 CMS
HDPE post and rubber base, 2.8 kgs



WL17 80 CMS
HDPE post and rubber base, 2.6 kgs



WL18 100 CMS
HDPE post and rubber base, 2.85 kgs



WL19 115 CMS
LDPE post and black PVC base, 7 kgs



WL01, WL02 DB
2 ultra bright LED PS lens. Yellow PP base.



WL03
4r 25 6V each pc shrink wrapped.



WL04 FLASH SB
2 ultra bright LED Amber PC lens. Yellow PE base



WL05, WL06 SOLAR SB
Solar traffic warning light color PS lens. Orange color PP base. 6pcs USMD LEDs with plastic handle.



WL07, WL08 SOLAR DB
Solar traffic warning light PS lens. Orange color PP base. 2pcs USMD LEDs.



WL23, WL24, WL25, WL28
6 LED traffic baton with top LED. 54 x 4 cms.



WL26, WL27 WARNING CHAIN
Plastic warning chain PE material. Diameter 6mm/8mm, in-length 27mm/38mm out-width 20mm/26mm, 50g/85g 25m/roll.



FIRE BLANKET
Fiberglass cloth, Soft Packing size 4ft x 4ft (1.2 m x 1.2 m) size 4ft x 6ft (1.2 m x 1.8 m) size 6ft x 6ft (1.8 m x 1.8 m)



FIRE BLANKET
Fiberglass cloth, Plastic Box size 4ft x 4ft (1.2 m x 1.2 m) size 4ft x 6ft (1.2 m x 1.8 m) size 6ft x 6ft (1.8 m x 1.8 m)



WARNING TAPES

LADDERS



ALLUMINIUM PLATFORM



ALLUMINIUM LUXURY PLATFORM



ALLUMINIUM DOUBLE SIDED



FIBER GLASS A-TYPE SINGLE SIDE



FIBER GLASS A-TYPE DOUBLE SIDE



ALLUMINIUM STRAIGHT SINGLE & EXT



ALLUMINIUM STRAIGHT HEAVY DUTY SINGLE & EXT.



FIBER GLASS STRAIGHT SINGLE & EXT.



DUAL PURPOSE



TRIPPLE EXT.



MULTIPURPOSE

HELMETS



TAHA SAFETY HELMET
HDPE helmet shell and inner fittings of LDPE



WORKMAN SAFETY HELMET
HDPE helmet shell and inner fittings of LDPE



WK H002 HELMET
High density HDPE /ABS shell



BARTEK HELMET
HDPE helmet shell and inner fittings of LDPE



BUMP CAP
Polyurethane-coated polyamide lined with polyethylene



DIAMOND HELMET
ABS safety helmet.



QUARTZ HELMET
high density polypropylene (PP) safety helmet



ZIRCON HELMET
HDPE helmet shell and inner fittings of LDPE



VE AIR COLTON CAP
Polyurethane-coated polyamide lined with polyethylene

FFP1




WK FFP1



WK FFP1 V



WK FFP1 CARBON



WK FFP1 CARBON V




WK FFP1 FLAT V



DELTA PLUS FFP1



DELTA PLUS FFP1 VALVE



VENUS V44++ FFP1

FFP2



WK FFP2



WK FFP2 V



WK FFP2 FLAT V



WK FFP2 CARBON FLAT V



DELTA PLUS FFP2



DELTA PLUS FFP2 VALVE



VENUS V420 FLV FFP2 V

FFP3



WK FFP3 V



DELTA PLUS FFP3 VALVE



VENUS V2735 FFP3 V



WK N95 A29



WK N95 A29 VALVE



WK TAIWAN MASK



WK SURGICAL MASK

N95

MASK

RESPIRATOR



WK CM1001 S
Chemical mask



WK CM1002 D
Chemical mask



WK DM1003 S
Dust mask



WK DM1004 D
Dust mask



M6300 JUPITER
Thermo-plastic elastomer half mask



NORTH 550030
Thermo-plastic elastomer half mask



VENUS MASK
Thermo-plastic elastomer half mask

WELDING MASK

FACE SHIELD



WK WS 2004 TAIWAN TYPE
Welding mask high quality PP material



WK WS 3001 AMERICAN TYPE
Welding mask high quality PP material



WK WS 3003
Welding mask high quality PP material



WK FS 5001
PC face shield



WK FS 5002
HDPE head gear PC face shield.



WK FS 5003
PMMA mounded with excellent viewing.



BALBI 2
Face shield with brow protection visor.

EYE PROTECTION



WK SG 3001

WK SG 3002

WK SG 3003

WK SG 3004

WK SG 3005

WK SG 3007

WK SG 3008

WK SG71003

WK SG71012

WK SG71042

WK SG71042

WK SG71052

WK SG71052

WK SG 2001

WK WG 1001

WK WG 1002

DP TOBA 2

DP GALERVI

DP MURIA 2

DP BRAVA

DP KILIMANJARO

DP FUJI2

DP PACAYA

DP LIPARI 2

DP VULCANU 2

EAR PROTECTION



WK EC 1001

37dB disposable polyurethane earplugs, box of 200 pairs

WK EC 1001 C

37dB Ear plugs disposable polyurethane earplugs with plastic cord, box of 100 pairs

WK EC 2001

37dB disposable silicone earplugs, box of 200 pairs

WK EC 2001 C

37dB Ear plugs disposable silicone earplugs with plastic cord, box of 100 pairs

WK EC 2001 C + BOX

37dB Ear plugs disposable silicone earplugs with plastic cord, box of 80 pairs



WK EM 5001 B ECO

28 dB Ear defender with ABS and synthetic foam cups



WK EM 5002 A LUXURY

30 dB Ear defender with ABS and synthetic foam cups



WK EM 5003 ECO

25 dB Ear defender with polystyrene (PS) and synthetic foam cups



WK EARMUFF SHOOTING

27dB Ear defender with ABS and synthetic foam cups



SPA 3

28 dB Ear defender with polystyrene (PS) and synthetic foam cup



SEPANG

29 dB Ear defender with ABS and synthetic foam cups.



SUZUKA FOR HELMETS

27 dB Ear defender for safety helmets.



CONIC 200

Polyurethane earplugs Ø 12 mm. 37dB Ear plugs.



CONICCO 200

Polyurethane earplugs with plastic cord Ø 12 mm. 37dB Ear plugs.

DISPOSABLE



WK BC 10
Nonwoven Fabric



WK MC 10
Poly Propylene



PO 110
Non-woven polypropylene



WK SC PE
PE material



WK SC 30
Nonwoven Fabric



SURCHPE
Polyethylene 30 µ

DISPOSABLE WEAR



WK DC 1040
Polypropylene Non woven 40 gsm



WK DC 2055
55 gsm Type 5/6, SMS



WK DC 3055
55 gsm Microporous spunbond laminate material Type 5/6.



WK DC 4063
63 gsm Microporous spray tight spunbond polyethylene Type 4/5/6



WK DDC 40
Polypropylene Non woven 40 gsm



DT117
50% polypropylene 50% polyethylene



PO 106
45g/m² Non-woven polypropylene



BLOUSPO
45g/m² Non-woven polypropylene

FALL PROTECTION



WK05 BELT
PE. Belt and rope. Width: 4.5 cm. Two side waist working D-rings, adjustable buckles with rope and karabiner hook.



WK08 HARNESS
Fall arrestor harness. PE. Belt and rope. Support in waist. One dorsal attachment point with connected rope.



WK14 LANYARD
Lanyard with energy absorber and two karabiners. Total less than 2m.



WK15 LANYARD
Lanyard with energy absorber and one karabiner. One scaffolding hook. Total less than 2m.



WK17 LANYARD
Non- shock absorber with double webbing and three karabiners.



WK24 LANYARD
Lanyard with shock absorber and one karabiner. One scaffolding hook. Total less than 2m.



WK25 HARNESS
Fall arrestor harness. PE. Belt and rope. Support in waist. One scaffolding hook attachment point with connected rope.



WK JS 40 HARNESS
Fall arrestor harness. Waist attachment Drings can be used in conjunction with vertical anchorage systems as well as for rescue operations.



WK PM 51 HARNESS
Fall arrestor harness. Width: 4.5 cm. One dorsal attachment D-ring, Two waist attachment D-rings.



WK PM 52 LANYARD
Lanyard. Width: 4.5 cm. One karabiner. Two scaffolding hooks.



WK PM 100 HARNESS
Fall arrestor harness with lanyard. Width: 4.5 cm. One dorsal attachment D-ring, Two waist attachment D-rings. One karabiner. Two scaffolding hooks.

FIRST AID KIT



FS 009 HOME/OFFICE/AUTO KIT



FS 013 HOME CARE KIT



FS 015 EURO KIT



FS 018 OFFICE KIT



FS 022 ROAD SIDE KIT



FS 033 MEDICAL KIT



FS 037 MULTI KIT



FS 051 INDUSTRY KIT



FS 052 10 PERSON KIT



FS 055 SHELF STYLE FACTORY KIT